

Colorado Department of Public Health and Environment
Water Quality Control Division (WQCD)
Public Notice No. CO-5-2015
Denver, Colorado **May 1, 2015**

This notice states that the CDPHE intends to issue, deny, modify, revoke and reissue, terminate or reissue, Colorado Discharge Permit System permits, pursuant to the Clean Water Act, and the Colorado Water Quality Control Act. All permits are subject to the U.S. Environmental Protection Agency (EPA) review. WQCD has made tentative determinations in conjunction with EPA that limitations and conditions imposed in these permits implement all applicable statutes and regulations and water-quality standards. Written comments or written requests for a public meeting on the tentative determination are to be submitted to WQCD by July 1, 2015. Also, written comments must be received by this date from any person who believes the proposed actions have the potential to cause material injury to a water right. Additional information is available at the County Clerk and Recorder's office of the county in which the proposed discharge is to occur or at the WQCD's office (contact Loretta Houk, 303-692-3531): The mailing address for written public comments is – CDPHE, WQCD-P-B2, 4300 Cherry Creek Drive South, Denver, Colorado 80246-1530. The website to view the public notice and drafts can be located at <https://www.colorado.gov/pacific/cdphe/cdphe/wq-public-notice-actions>

Permit Number Action	Permittee Facility	County/Counties Discharge to	Permit Writer/ Contact	Notice End Date
COR090000 Renewal	CDPS General Permit – Stormwater Discharges Associated with Municipal Separate Storm Sewer Systems (MS4s)	Statewide Statewide Discharge	Lisa Knerr	6/30/2015
COR080000 Renewal	CDPS General Permit - Stormwater Associated with Municipal Separate Storm Sewer Systems (MS4s) that discharge to the Cherry Creek Reservoir Drainage Basin	Douglas, Arapahoe and Denver Cherry Creek Drainage Basin	Kendra Kelly	6/30/2015